



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/339,733	06/24/1999	SCOTT C. COTTRILLE	777.209US1	2967

26389 7590 07/29/2003

CHRISTENSEN, O'CONNOR, JOHNSON, KINDNESS, PLLC
1420 FIFTH AVENUE
SUITE 2800
SEATTLE, WA 98101-2347

EXAMINER

ROMERO, ALMARI DEL CARMEN

ART UNIT PAPER NUMBER

2176

DATE MAILED: 07/29/2003

10

Please find below and/or attached an Office communication concerning this application or proceeding.

24

Office Action Summary

Application No.

09/339,733

Applicant(s)

COTTRILLE ET AL.

Examiner

Almari Romero

Art Unit

2176

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 May 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ 6) ☐ Other:

DETAILED ACTION

1. This action is responsive to communications: Request for Reconsideration filed on 05/13/03.
2. Claims 1-28 are pending in the case. Claims 1, 10, 22, 23, 24, and 25 are independent claims.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 1-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over van Hoff (USPN 5,822,539 - filed on 12/08/1995) in view of deVries et al. (USPN 6,332,144 B1 - filed on 12/03/1998), and in further view of Van Der Meer (USPN 6,289,362 B1 - filed on 09/1998).**

Regarding independent claim 1, van Hoff discloses:

A computing system for scalably managing annotations, the computing system comprising:

a server to store data for the annotations (van Hoff on col. 4, lines 22-37: teaches annotation proxy server 118 stores data of annotations to be annotated on document);

a tier I server to determine if a content source has data indexed by the tier II

Art Unit: 2176

server (van Hoff on col. 6, lines 34-57: teaches server 104 providing the requested document to proxy server 118 to apply identified annotation).

However, van Hoff does not explicitly disclose, “a tier II server to maintain an index of the data for the annotations”.

deVries et al. (deVries) on col. 7, lines 19-67: teaches index database server maintains an index database with an index of annotation data for query match.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified deVries into van Hoff to provide maintaining index database with an index of annotation data for annotations incorporated into a server to be retrieved and annotated on a document in order to provide an efficient searching, browsing, and retrieving annotating media in a data processing network environment.

However, van Hoff and deVries do not explicitly disclose “tier III server” and “wherein the tier I server is separate and distinct from the tier II server”.

Van Der Meer (Meer) on col. 4, lines 9-60, see figure 1: teaches content provider (tier I server) and diary server (tier II server) are both different and separate computer systems and teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a content provider (tier I server) and diary server (tier II server) as different and separate computer systems and provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if

Art Unit: 2176

the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 2, deVries discloses:

wherein the tier II server further stores a plurality of generic properties for the annotations (deVries on col. 2, lines 52-57: teaches annotation index with annotations values, identified times and probabilities).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified deVries into van Hoff and Meer to provide a server maintaining index database with an index of annotation data for annotations stored on proxy server 118 to be retrieved and annotated on a document in order to provide an efficient searching, browsing, and retrieving annotating media in a data processing network environment.

Regarding dependent claim 3, van Hoff discloses:

wherein the tier III server further stores one or more type specific properties for the annotations (van Hoff on col. 6, lines 27-45: teaches identify name or number of annotation) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is

Art Unit: 2176

available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claims 4-6, van Hoff discloses:

wherein the tier I, II, III server comprises a plurality of servers (van Hoff on col. 4, lines 22-37 and lines 57-62: teaches plurality of servers) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 7, van Hoff discloses:

wherein the tier III server further stores client software to allow a user to view a type of annotation (van Hoff on col. 6, lines 48-57: teaches annotation is performed on a proxy server 118 to prepare document prior to transmission of the document to the requesting client) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is

Art Unit: 2176

available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 8, van Hoff discloses:

wherein the content source is identified by a document identifier (van Hoff on col. 5, lines 1-26: teaches document identifier).

Regarding dependent claim 9, van Hoff discloses:

wherein the document identifier is selected from the group consisting of: a directory path, a uniform resource locator, and a file name (van Hoff on col. 5, lines 1-26: teaches document identifier is URL).

Regarding independent claim 10, van Hoff discloses:

A scalable computerized method of posting an annotation, the method comprising:

sending an annotation post from a client to a tier III server (van Hoff on col. 6, lines 34-57: teaches client requesting document with annotations);

storing a portion of the annotation on the tier III server (van Hoff on col. 6, lines 34-57: teaches APS server with stored annotation data);

sending a second portion of the annotation from the tier III server to a tier II server (van Hoff on col. 8, lines 64-66: teaches relevance information field about annotation);

storing the association information on the tier I server (van Hoff on col. 5, lines 1-26: teaches storing information associated with annotation such as a unique document identifier).

However, van Hoff does not explicitly disclose, "storing the second portion of the annotation on the tier II server and sending association information from the tier II server to a tier I server".

Art Unit: 2176

deVries on col. 7, lines 19-67: teaches stored portion of a digital representation (annotation) and sending matched identification number to the librarian 28).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified deVries into van Hoff to provide a way to store portion of a digital representation such as annotations to send an identifier to server 104 in order to allow the flexibility in searching, browsing, and retrieving of annotations in a communication network environment.

However, van Hoff and deVries do not explicitly disclose "tier III server" and "wherein the tier I server is separate and distinct from the tier II server".

Meer on col. 4, lines 9-60, see figure 1: teaches content provider (tier I server) and diary server (tier II server) are both different and separate computer systems and teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a content provider (tier I server) and diary server (tier II server) as different and separate computer systems and provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 11, van Hoff discloses:

Art Unit: 2176

wherein the acts are performed in the order listed (van Hoff on col. 3, lines 11-21: teaches procedure for merging supplement information to associated document).

Regarding dependent claim 12, van Hoff discloses:

further comprising notifying the client of a successful post to the tier III server (van Hoff on col. 6, lines 5-32: teaches client in communication with a plurality of servers, which can notify each other if the transmission or receiving of data or documents was successful) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 13, van Hoff discloses:

further comprising notifying the client occurs prior to sending the second portion of the annotation to the tier II server (van Hoff on col. 6, lines 5-32: teaches client in communication with a plurality of servers wherein the servers can notify client browsers of a transmission of a requested data or document).

Regarding dependent claim 14, van Hoff discloses:

further comprising notifying the tier III server of a successful post to the tier II server (van Hoff on col. 6, lines 5-32: teaches server connected to a server for communication over the

Art Unit: 2176

network, which a server can notify another server of a transmission or receiving of requested data or document) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 15, van Hoff discloses:

further comprising notifying the tier II server of a successful post to the tier I server (van Hoff on col. 6, lines 5-32: teaches server connected to a server for communication in which a server can notify another server of a transmission or receiving of requested data or document over the network).

Regarding dependent claim 16, van Hoff discloses:

wherein sending the annotation post from the client to the tier III server comprises sending a URL for the tier I server, a URL for the tier II server, a URL for the tier III server, a context document identifier, type specific annotation properties, generic annotation properties, and an annotation body (van Hoff on col. 5, lines 1-26: teaches URL identifies location of a particular server among a plurality of different servers) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

Art Unit: 2176

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 17, van Hoff discloses:

wherein storing a portion of the annotation on the tier III server comprises storing the annotation body and the type specific annotation properties (van Hoff on col. 6, lines 34-57: teaches storing data of annotations and col. 8, lines 4-29: teaches types of annotations) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 18, van Hoff discloses:

further comprising generating a unique identifier for the annotation body and type specific annotation properties stored on the tier III server (van Hoff on col. 6, lines 34-57:

Art Unit: 2176

teaches generating unique document identifier) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 19, van Hoff discloses:

wherein sending a second portion of the annotation to the tier II server comprises sending a URL or the tier I server, a URL for the tier II server, a URL for the tier III server, a context document identifier, generic annotation properties, and the unique identifier (van Hoff on col. 5, lines 1-26: teaches URL for identifying locations of plurality of servers containing stored annotations) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 20, deVries discloses:

Art Unit: 2176

wherein storing the second portion of the annotation on the tier II server comprises storing the generic annotation properties, the URL for the tier III server, and the unique identifier (deVries on col. 7, lines 19-67: teaches stored portion of a digital representation (annotation)) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 21, van Hoff discloses:

wherein sending association information to the tier I server comprises sending the tier I server URL, the tier II server URL, the context document identifier and an indexing identifier storing the association information on the tier I server (van Hoff on col. 5, lines 1-26: teaches storing information associated with annotation such as a unique document identifier).

Regarding independent claims 22 and 23, van Hoff discloses:

A computer-readable medium having stored thereon a "client-to-tier III server" data structure for scalable annotations comprising:

a first field containing data representing a context document identifier (van Hoff on col. 5, lines 1-26: teaches document identifier);

Art Unit: 2176

a second field containing data representing a body of the annotation (van Hoff on col. 6, lines 34-57: teaches storing data of annotations and col. 8, lines 4-29: teaches types of annotations);

a fourth field containing data representing type specific properties of the annotation (van Hoff on col. 6, lines 27-45: teaches identify name or number of annotation);

a fifth field containing data representing a URL for a tier III server for receiving and storing a portion of the post of the annotation (van Hoff on col. 6, lines 5-18: teaches URL for annotation proxy server);

a seventh field containing data representing a URL for a tier I server for receiving and storing associations for the annotation (van Hoff on col. 5, lines 1-26: teaches URL for server 104).

However, van Hoff does not explicitly disclose, "third field containing data representing generic properties of the annotation and a sixth field containing data representing a URL for a tier II server for receiving and storing a portion of the post of the annotation".

deVries on col. 2, lines 52-57: teaches annotation index with annotations values, identified times and probabilities and on col. 7, lines 19-67: teaches stored portion of a digital representation (annotation)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified deVries into van Hoff to provide a way to store portion of a digital representation such as annotations to send an identifier to server 104 in order to allow the flexibility in searching, browsing, and retrieving of annotations in a communication network environment.

Art Unit: 2176

However, van Hoff and deVries do not explicitly disclose "tier III server" and "wherein the URL for the tier I server is distinct from the URL for the tier II server".

Meer on col. 4, lines 9-60, see figure 1: teaches content provider (tier I server) and diary server (tier II server) are both different and separate computer systems with different URLs and teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a content provider (tier I server) and diary server (tier II server) as different and separate computer systems and provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding independent claim 24, van Hoff discloses:

A computer-readable medium having stored thereon a "tier II server-to-tier I" server data structure for scalable annotations comprising:

a first field containing data representing a context document identifier (van Hoff on col. 5, lines 1-26: teaches document identifier);

a fourth field containing data representing a URL for a tier I server for receiving and storing associations for the annotation (van Hoff on col. 5, lines 1-26: teaches URL for server 104).

Art Unit: 2176

However, van Hoff does not explicitly disclose, “a second field containing data representing an indexing identifier of the annotation and a third field containing data representing a URL for a tier II server for indexing the annotation”.

deVries on col. 7, lines 19-67: teaches index database server maintains an index database with an index of annotation data.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified deVries into van Hoff to provide a server maintaining index database with an index of annotation data for annotations stored on proxy server 118 to be retrieved and annotated on a document in order to provide an efficient searching, browsing, and retrieving annotating media in a data processing network environment.

However, van Hoff and deVries do not explicitly disclose “tier III server” and “wherein the URL for the tier I server is distinct from the URL for the tier II server”.

Meer on col. 4, lines 9-60, see figure 1: teaches content provider (tier I server) and diary server (tier II server) are both different and separate computer systems with different URLs and teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a content provider (tier I server) and diary server (tier II server) as different and separate computer systems and provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more

Art Unit: 2176

appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding independent claim 25, van Hoff discloses:

A scalable computerized method for managing annotations, the method comprising:

storing within a tier I server a plurality of associations with references to a tier II server for each association (van Hoff on col. 5, lines 1-26: teaches storing information associated with annotation);

storing within a tier III server content for each one of the annotations (van Hoff on col. 4, lines 22-37: teaches annotation proxy server 118 stores data of annotations to be annotated on document);

receiving by the tier I server from a client a context document identifier (van Hoff on col. 5, lines 1-26: teaches receiving from client a URL for identifying locations of plurality of servers containing stored annotations); and

providing a first response to the client from the tier I server, wherein the first response comprises one for more associations for the context document identifier and the reference to the tier II server for each one of the associations (van Hoff on col. 5, lines 1-26: teaches client in communication with servers and providing URL that identifies location of a particular server among a plurality of different servers.

However, van Hoff does not explicitly disclose, "storing within a tier II server an indexing identifier for each one of the annotations and storing within the tier II server a reference to a tier III server for each one of the annotations".

Art Unit: 2176

deVries on col. 7, lines 19-67: teaches index database server maintains an index database with stored index of annotation data.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified deVries into van Hoff to provide a server maintaining index database with an index of annotation data for annotations stored on proxy server 118 to be retrieved and annotated on a document in order to provide an efficient searching, browsing, and retrieving annotation data in a data processing network environment.

However, van Hoff and deVries do not explicitly disclose "tier III server" and "wherein the tier I server is separate and distinct from the tier II server".

Meer on col. 4, lines 9-60, see figure 1: teaches content provider (tier I server) and diary server (tier II server) are both different and separate computer systems and teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a content provider (tier I server) and diary server (tier II server) as different and separate computer systems and provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claims 26, van Hoff discloses:

Art Unit: 2176

further comprising: receiving by the tier II server from the client a selection identifying one of the associations for the context document identifier; providing a second response to the client from the tier II server, wherein the second response comprises a header for each one of the annotations associated with the context document identifier and the reference to the tier III server for each one of the annotations (van Hoff on col. 5, lines 1-26 and col. 6, lines 5-32: teaches client in communication with a plurality of servers and providing URL that identifies location of a particular server among a plurality of different servers to identify annotations requested by client) and (Meer on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 27, van Hoff discloses:

further comprising: receiving by the tier III server from the client an annotation identifier; and providing a third response to the client from the tier III server, wherein the third response comprises a body for the annotation identified by the annotation identifier (van Hoff on col. 5, lines 1-26 and on col. 6, lines 5-32: teaches client in communication with a plurality of servers and providing a portion of annotation data to the user identified by the URL) and (Meer

Art Unit: 2176

on col. 4, lines 9-60, see figure 1: teaches a presentation context server (not shown in figure 1) (as tier III server) in communication with the diary server (tier II server)).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Meer into van Hoff and deVries to provide a presentation context server (not shown in figure 1) (as tier III server) incorporated as a different type of server in communication with the web server (tier II server) to determine if the requested data is available which will advantageously enable content provider to target more appropriate users with advertisements and maintain control of objects displayed at the user's diary.

Regarding dependent claim 28, van Hoff discloses:

wherein the context document identifier is selected from the group consisting of: a uniform resource locator, a file name, and a directory path (van Hoff on col. 5, lines 1-26: teaches document identifier is URL).

Response to Arguments

5. Applicant's arguments filed on 5/13/03 have been fully considered but they are not persuasive.

A) Regarding Applicant's remarks on page 15:

Referring to claim 1, van Hoff does teach "tier I server" on col. 4, lines 22-37: teaches an annotation proxy server 118 to annotate documents prior to sending requested document to the client computer 102.

B) Regarding Applicant's remarks on page 16, 2nd paragraph:

Art Unit: 2176

Referring to claim 1, de Vries does teach “a tier II server to maintain an index of the data for the annotations”, on col. 7, lines 19-67: teaches an index database server contains raw audio/video data 12 to generate annotations.

C) Regarding Applicant’s remarks on page 16, 3rd paragraph:

Referring to claim 1, Van Der Meer does teach “a tier III server storing data for annotations”, on col. 4, lines 9-60, see figure 1: teaches a diary server 120 (server II) that stores AUAs in an AUA database which is in communication with the presentation context server (not shown in figure 1) (server III) which stores templates; wherein each template identifies a format to present pages of objects.

D) Regarding Applicant’s remarks on page 17, 1st paragraph:

Referring to claim 7, van Hoff does teach “client software to allow a user to view an annotation”, on col. 6, lines 48-57: teaches the web server prepares the document and transmits the document to the annotation proxy server 118 (which may be the same as the requesting client computer) for annotation; wherein the annotation is performed into the document to be sent to the client for viewing, in other words, the annotation in the document can be viewed by the user.

E) Regarding Applicant’s remarks on page 17, 2nd paragraph – page 18, 1st paragraph:

Referring to claim 10, van Hoff does teach “posting an annotation”, on col. 6, lines 34-57: teaches browser 110 is used to present requested document for viewing on the requesting client computer 102.

F) Regarding Applicant’s remarks on page 18, 2nd paragraph:

Art Unit: 2176

Referring to claim 10, van Hoff does teach “storing portion of the annotation of the tier server”, on col. 6, lines 34-57: teaches the annotation proxy server stores annotation data such as an identifier to request a document from the information server 104 to annotate the document.

G) Regarding Applicant’s remarks on page 19, 1st paragraph:

Referring to claim 12, van Hoff does teach “notifying the client of a successful post to the tier server”, on col. 6, lines 5-32: teaches the client computer is in communication with proxy server 118 and information server 104; based on specific commands and data pathways on the network will determine locations of server 118 and server 104 for providing the requested document.

H) Regarding Applicant’s remarks on page 19, 2nd paragraph:

Referring to claim 14, van Hoff does teach “notifying the tier server of a successful post to the tier II server”, on col. 6, lines 5-32: teaches commands generated and commands and data pathways on the network are used for communication between client 102, information server 104, and annotation server 118.

I) Regarding Applicant’s remarks on page 20:

Referring to claims 1 and 10, van Hoff in figure 2: teaches a multiple server network environment comprising annotation proxy server 118, 119 and web servers 104a-c.

de Vries on col. 3, line 52 – col. 4, line 7, see figure 1A: teaches a network environment comprising multiple servers in communication such as media database server 24, meta database server (librarian) 28, and an index database server 32.

Art Unit: 2176

Van Der Meer on col. 4, lines 9-60, see figure 1: teaches network environment comprising content provider 115, Diary server 120, and a presentation context server (not shown in figure 1).

J) Regarding Applicant's remarks on page 20:

Referring to claim 24, Van Der Meer does teach "a tier I server that as a URL that is distinct from the URL for the tier II server", on col. 4, lines 9-60: teaches sending AUA to the diary server 120 to enable the content provider to control aspects of the resulting object as they are presented to the user; the content provider further includes an AUA generator 104 for generating AUAs 134; wherein the AUA generator may also be stored in the diary server 120.

K) Regarding Applicant's remarks on page 22:

Referring to claim 25, van Hoff does teach "any association with a document or context document identifier", on col. 5, lines 1-26: teaches a document identifier identifies the location of the document as a particular web server location and further identifies the document within that particular web server site.

L) Regarding Applicant's remarks on page 22:

Referring to claim 25, van Hoff does teach "storing within a server content for each of the annotation", on col. 4, lines 22-37: teaches the annotation proxy server 118 stores annotation data to facilitate the annotation on a requested document.

M) Regarding Applicant's remarks on page 22:

Referring to claim 26, van Hoff does teach "second response to the client from the tier II server" and "second response comprises a header for each one of the annotations associated with the context document identifier", on col. 5, lines 1-26 and col. 6, lines 5-32: teaches the

Art Unit: 2176

information server 104 provides the requested document to the proxy server 118; wherein the proxy server 118 can be the requesting client; the proxy server 118 transmits a unique document identifier that comprises first location identifies data that identifies location of a document as a particular web server location and further comprises a second document identifier data that identifies the document within that particular web server site.

N) Regarding Applicant's remarks on page 23 – page 24:

The annotations of Van Der Meer are called annotated universal address which includes a universal address identifying a location of an object and includes an "annotation" for controlling aspect of the object or content; wherein the content data includes object information which may be an image, text, a movie, applet, ect. (see col. 4, lines 5-60).

Art Unit: 2176

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Art Unit: 2176

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Almari Romero whose telephone number is (703) 305-5945. The examiner can normally be reached on Mondays - Fridays (8:30am - 5:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on (703) 305-9792. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 746-7239 for regular communications and (703) 746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4700.

AR
July 27, 2003


JOSEPH H. FEILD
PRIMARY EXAMINER